

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trádemark Office Address: COMMISSIONER FOR-PATENTS P.O. Box 1450 Alexandria, Vignia 22313-1450 www.uspto.gov

DATE MAILED: 09/23/2003

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|---|--------------|----------------------|---------------------|------------------|
| 09/471,429 | 12/23/1999 | DONALD E. WAELAR II | ST9-99-070 | 7384 |
| 75 | • • | | | DIED. |
| DAVID N KOFFSKY ESQ OHLANDT GREELEY RUGGIERO & PERLE LLP | | | YUAN, ALMARI ROMERO | |
| ONE LAND M | | I OAN, ALWARI ROWERO | | |
| 9TH FLOOR STAMFORD, CT 069012682 | | | ART UNIT | PAPER NUMBER |
| STAMFURD, | J1 007012002 | | 2176 | |

Please find below and/or attached an Office communication concerning this application or proceeding.

| | | Application No. | Applicant(s) | |
|--|--|---|--|-------------------|
| • | | 09/471,429 | WALLAR II, DONAL | D E. |
| | Office Action Summary | Examiner | Art Unit | , |
| | Office Action Cammany | Almari Yuan | 2176 | |
| | · The MAILING DATE of this communication ap | pears on the cover she | et with the correspondence add | ress |
| ariad fai | Reniv | | | |
| THE N - Extense after S - If the - If NO - Failur - Any re earne | PRIENED STATUTORY PERIOD FOR REPLAILING DATE OF THIS COMMUNICATION. Sions of time may be available under the provisions of 37 CFR 1. SIX (6) MONTHS from the mailing date of this communication. Period for reply specified above is less than thirty (30) days, a reperiod for reply is specified above, the maximum statutory period e to reply within the set or extended period for reply will, by statutely received by the Office later than three months after the mailing digital patent term adjustment. See 37 CFR 1.704(b). | 136(a). In no event, however, bly within the statutory minimur will apply and will expire SIX (| may a reply be timely filed n of thirty (30) days will be considered timely. 6) MONTHS from the mailing date of this cores ARANDONED (35 U.S.C. & 133). | nmunication. |
| Status | Responsive to communication(s) filed on <u>07</u> | July <u>2003</u> . | • | |
| 1)⊠ | This action is FINAL 2b) T | his action is non-final | | |
| 2a)⊠ 3)□ | Since this application is in condition for allow closed in accordance with the practice under | vance except for form | al matters, prosecution as to the | e merits is |
| Dispositi | ion of Claims | | | |
| 4)⊠ | Claim(s) 1-24 is/are pending in the application | ON. | on | |
| | 4a) Of the above claim(s) is/are withdr | awn from consideration | UII. | |
| 5)□ | Claim(s) is/are allowed. | | | |
| 6)⊠ | Claim(s) 1-24 is/are rejected. | | | |
| 7) | Claim(s) is/are objected to. | · · · · · · · · · · · · · · · · · · · | ont | |
| | Claim(s) are subject to restriction and | l/or election requirem | en. | |
| Applicat | tion Papers | nor | | |
| 9)[| The specification is objected to by the Exami The drawing(s) filed on is/are: a) ac | ner. | to by the Examiner. | |
| 40)□ | Applicant may not request that any objection to | the drawing(s) be held | in abeyance. See 37 CFR 1.85(a). | |
| | Applicant may not request that any objection to The proposed drawing correction filed on | is: a)☐ approved | b) disapproved by the Examin | ner. |
| 11) | The proposed drawing correction filed on If approved, corrected drawings are required in | reply to this Office action | on. | |
| | The oath or declaration is objected to by the | Examiner. | | |
| i . | | | | |
| Priority | under 35 U.S.C. §§ 119 and 120 Acknowledgment is made of a claim for for | eian priority under 35 | U.S.C. § 119(a)-(d) or (f). | |
| 13)[_ | Acknowledgment is made of a daily for too | 2.3 k | | |
| 8 | a) ☐ All b) ☐ Some * c) ☐ None of: 1.☐ Certified copies of the priority docum | ents have been recei | ved. | |
| | | ents have been recei | ved in Application No | |
| | - cultivation coninc of the | priority documents ha | ve been received in this Nationa | al Stage |
| | application from the International | list of the certified co | pies not received. | |
| 14) | Acknowledgment is made of a claim for dom | nestic priority under 3 | 5 U.S.C. § 119(e) (to a provision | iai application). |
| 1 | a) ☐ The translation of the foreign language Acknowledgment is made of a claim for dor | s provisional application | on has been received. | |
| Attachm | | | | No(s) |
| 1) [N | otice of References Cited (PTO-892) otice of Draftsperson's Patent Drawing Review (PTO-948 oformation Disclosure Statement(s) (PTO-1449) Paper No | 4) | Interview Summary (PTO-413) Paper Notice of Informal Patent Application (Other: | NO(S) PTO-152) |

Art Unit: 2176

DETAILED ACTION

1. This action is responsive to communications: Request for Reconsideration filed on 7/07/03.

2. Claims 1-24 are pending in the case. Claims 1, 8, 10, 15, 20, 21, and 23 are independent claims.

Drawings

The drawings filed on 12/23/99 are objected to as indicated in the attached PTO-948 form. Formal corrected drawings can be filed at allowance.

Claim Rejections - 35 USC § 103

- 4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 5. Claims 1-24 are rejected under 35 U.S.C. 103(a) as being unpatentable over Shell et al. (USPN 6,339, 780 B1 filed on 05/1997) in view of Guck (USPN 5,911,776 filed on 12/1996).

Regarding independent claim 1, Shell et al. (Shell) discloses:

A method for composing a computer message, said method comprising the steps of:

Art Unit: 2176

(a) presenting a message area for entry of an unformatted message and a message format selector for selecting an output format from a plurality of formats (Shell on col. 4, lines 24-49 and col. 6, lines 8-13: teaches a content viewing area for the display of content which can be simple text (unformatted) and wherein content can be formatted for presentation from selecting a format from a group of formats).

However, Shell does not explicitly disclose "message composition" and "converting said unformatted message to form a formatted message with format tags of said one of said output formats".

Guck on col. 6, lines 29-37, lines 49-64 and col. 9, lines 19-30: teaches creating messages and reformatting messages by converting messages from one format to another format.

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to have modified Guck into Shell to provide a way to create messages and reformat messages by converting messages from one format to another format, as taught by Guck, incorporated into the selection of a format from a group of formats, as taught by Shell, in order to efficiently enable the text created by an author to be converted to other formats suitable for other client users.

Regarding dependent claims 2, 11, and 16, Shell discloses:

wherein said message formats include SGML and book manager script (Shell on col. 6, lines 8-13: teaches a SGML and script).

Regarding dependent claims 3, 12, and 17, Shell discloses:

wherein said message formats further include formatted display (Shell on col. 4, lines 24-49: teaches content viewing area for formatted data).

Art Unit: 2176

Regarding dependent claims 4, 13, and 18, Shell discloses:

wherein computer instructions for steps (a) and (b) are implemented in Java script (Shell on col. 6, lines 8-13: teaches Java script).

Regarding dependent claims 5, 14, and 19, Guck discloses:

wherein said unformatted message is a first unformatted message, said formatted message is a first formatted message, said message area further includes a formatted display area and wherein step (a) further presents a second message area (Shell on col. 4, lines 24-49 and col. 6, lines 8-13: teaches content viewing area to display content which can be in one format such as simple text (unformatted) or can select a formatted data for display such as SGML, Javascript (formatted)); further comprising:

- c) in response to entry of a second unformatted message into said second message composition area, converting said unformatted message to form a formatted message with format tags of said one of said output formats (Guck on col. 6, lines 29-37, lines 49-64 and col. 9, lines 19-30: teaches creating messages and reformatting messages by converting messages from one format to another format); and
- (d) presenting said first and second formatted messages as a concatenated complete message for display in said formatted message display area (Shell on col. 4, lines 24-49 and col. 6, lines 8-13: teaches data formatted for presentation on viewing area).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to have modified Guck into Shell to provide a way to create messages and reformat messages by converting messages from one format to another format, as taught by Guck, incorporated into the selection of a format from a group of formats, as taught by Shell, in

Page 5

Application/Control Number: 09/471,429

Art Unit: 2176

order to efficiently enable the text created by an author to be converted to other formats suitable for other client users.

Regarding dependent claim 6, Guck discloses:

further comprising: (e) editing said first and second formatted messages in said formatted message display area, if needed, and (f) sending a copy of said formatted message to a computer message file (Guck on col. 6, lines 29-37, lines 49-64 and col. 7, lines 6-10: teaches creating and reformatting messages to be sent to the recipient).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to have modified Guck into Shell to provide a way to create messages and reformat messages by converting messages from one format to another format, as taught by Guck, incorporated into the selection of a format from a group of formats, as taught by Shell, in order to efficiently enable the text created by an author to be converted to other formats suitable for other client users.

Regarding dependent claims 7 and 9, Shell discloses:

wherein said first and second composition areas and said formatted message display area are formed in a template that is presented on a web page, and wherein steps (e) and (f) are performed via said web page (Shell on col. 4, lines 9-14, lines 24-49 and col. 6, lines 8-13: teaches web page to be displayed with formatted data content).

Regarding independent claim 8, Shell discloses:

A method of message composition for a computer message file, said method comprising:

(a) presenting a message display area (Shell on col. 4, lines 24-49 and col. 6, lines 8-13: teaches content viewing area);

Art Unit: 2176

- (b) obtaining a formatted message from said computer message file (Shell on col. 4, lines 9-14 and lines 24-49: teaches accessing a resource from the Internet for display);
- (c) entering said formatted message in said message display area (Shell on col. 4, lines 24-49 and col. 6, lines 8-13: teaches content is inserting in the content viewing area).

However, Shell does not explicitly disclose "editing said formatted message to form a revised formatted message" and "providing said revised message to said computer message file".

Guck on col. 6, lines 29-37, lines 49-64 and col. 7, lines 6-10: teaches creating and reformatting messages to be sent to the recipient; the text of a document or message can be displayed for review).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to have modified Guck into Shell to provide a way to create and reformat messages and the document or message can be displayed for review, as taught by Guck, incorporated into content viewing area of displayed content to select a format from a group of formats for presentation, as taught by Shell, in order to efficiently enable the text created by an author to be converted to other formats suitable for other client users.

Regarding independent claim 10, Shell discloses:

A computer comprising:

a web page for presentation on an Intranet or an Internet (Shell on col. 4, lines 9-14, lines 24-49, see figure 4: teaches web page as the resource accessed from the Internet);

(a) presenting a message area for entry of an unformatted message and a message format selector for selecting an output format from a plurality of formats (Shell on col. 4, lines 24-49

Art Unit: 2176

and col. 6, lines 8-13: teaches content viewing area for the display of content can be viewed in simple text (unformatted) or a format selected from a group of formats (formatted)).

However, Shell does not explicitly disclose "composition of computer messages" and "converting said unformatted message to form a formatted message with format tags of said one of said output formats".

Guck on col. 6, lines 29-37, lines 49-64 and col. 9, lines 19-30: teaches creating messages and reformatting messages by converting messages from one format to another format.

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to have modified Guck into Shell to provide a way to create messages and reformat messages by converting messages from one format to another format, as taught by Guck, incorporated into the selection of a format from a group of formats, as taught by Shell, in order to efficiently enable the text created by an author to be converted to other formats suitable for other client users.

Regarding independent claim 15, Shell discloses:

A memory media for a computer, said memory media comprising:

means for controlling said computer message creator program that performs the following steps:

(a) presenting a message area for entry of an unformatted message and a message format selector for selecting an output format from a plurality of formats (Shell on col. 4, lines 24-49 and col. 6, lines 8-13: teaches content viewing area for the display of content can be viewed in simple text (unformatted) or a format selected from a group of formats (formatted)).

Art Unit: 2176

However, Shell does not explicitly disclose "message composition" and "converting said unformatted message to form a formatted message with format tags of said one of said output formats".

Guck on col. 6, lines 29-37, lines 49-64 and col. 9, lines 19-30: teaches creating messages and reformatting messages by converting messages from one format to another format.

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to have modified Guck into Shell to provide a way to create messages and reformat messages by converting messages from one format to another format, as taught by Guck, incorporated into the selection of a format from a group of formats, as taught by Shell, in order to efficiently enable the text created by an author to be converted to other formats suitable for other client users.

Regarding independent claim 20, Shell discloses:

A method for composing a computer message, said method comprising the steps of:

- (a) presenting a message area for entry of an unformatted message, a formatted message display area and a message format selector for selecting an output format from a plurality of formats (Shell on col. 4, lines 24-49 and col. 6, lines 8-13: teaches content viewing area for the display of content can be viewed in simple text (unformatted) or a format selected from a group of formats (formatted));
- (c) presenting said formatted message for display in said formatted message display area (Shell on col. 4, lines 24-49 and col. 6, lines 8-13: teaches data formatted for presentation on viewing area).

Art Unit: 2176

However, Shell does not explicitly disclose "message composition" and "converting said unformatted message to form a formatted message with format tags of said one of said output formats".

Guck on col. 6, lines 29-37, lines 49-64 and col. 9, lines 19-30: teaches creating messages and reformatting messages by converting messages from one format to another format.

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to have modified Guck into Shell to provide a way to create messages and reformat messages by converting messages from one format to another format, as taught by Guck, incorporated into the selection of a format from a group of formats, as taught by Shell, in order to efficiently enable the text created by an author to be converted to other formats suitable for other client users.

Regarding independent claim 21, Shell discloses:

A method for composing a computer message, said method comprising the steps of:

(a) receiving an unformatted message from a user and (b) selecting one output format for said message from a plurality of output formats (Shell on col. 4, lines 24-49 and col. 6, lines 8-13: teaches content viewing area for the display of content can be viewed in simple text (unformatted) or a format selected from a group of formats (formatted)).

However, Shell does not explicitly disclose "converting said unformatted message to a formatted message having an output format selected in step b) and including format tags of said one of said output formats".

Guck on col. 6, lines 29-37, lines 49-64 and col. 9, lines 19-30: teaches creating messages and reformatting messages by converting messages from one format to another format.

Art Unit: 2176

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to have modified Guck into Shell to provide a way to create messages and reformat messages by converting messages from one format to another format, as taught by Guck, incorporated into the selection of a format from a group of formats, as taught by Shell, in order to efficiently enable the text created by an author to be converted to other formats suitable for other client users.

Regarding dependent claim 22, Guck discloses:

(d) displaying said formatted message for user review (Guck on col. 7, lines 6-10: teaches text of a document or message can be displayed for review).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to have modified Guck into Shell to provide a way to create and reformat messages and the document or message can be displayed for review, as taught by Guck, incorporated into content viewing area of displayed content to select a format from a group of formats for presentation, as taught by Shell, in order to efficiently enable the text created by an author to be converted to other formats suitable for other client users.

Regarding independent claim 23, Shell discloses:

A memory media controlling a computer to compose a computer message, said memory media comprising:

(a) means for controlling said computer to receive an unformatted message from a user; and (b) means responsive to a user input to control said computer to select one output format for said message from a plurality of output formats (Shell on col. 4, lines 24-49 and col. 6, lines 8-

Art Unit: 2176

13: teaches content viewing area for the display of content can be viewed in simple text (unformatted) or a format selected from a group of formats (formatted)).

However, Shell does not explicitly disclose "convert said unformatted message to a formatted message having an output format selected in step b) and including format tags of said one of said output formats".

Guck on col. 6, lines 29-37, lines 49-64 and col. 9, lines 19-30: teaches creating messages and reformatting messages by converting messages from one format to another format.

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to have modified Guck into Shell to provide a way to create messages and reformat messages by converting messages from one format to another format, as taught by Guck, incorporated into the selection of a format from a group of formats, as taught by Shell, in order to efficiently enable the text created by an author to be converted to other formats suitable for other client users.

Regarding dependent claim 24, Guck discloses:

(d) means for controlling said computer to display said formatted message for user review (Guck on col. 7, lines 6-10: teaches the text of a document or message can be displayed for review).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to have modified Guck into Shell to provide a way to create and reformat messages and the document or message can be displayed for review, as taught by Guck, incorporated into content viewing area of displayed content to select a format from a group of

Art Unit: 2176

formats for presentation, as taught by Shell, in order to efficiently enable the text created by an author to be converted to other formats suitable for other client users.

Response to Arguments

6. Applicant's arguments filed 7/07/03 have been fully considered but they are not persuasive.

Regarding applicant's remarks on pages 3 and 4:

Shell does disclose "presenting a message area for entry of an unformatted message", on col. 4, lines 24-49 and col. 6, lines 8-13: teaches a content viewing area for the display of textual content, in other words, the display of simple text (unformatted) not as a hyperlink (formatted) can be displayed.

Guck also discloses "unformatted message" on page 6, lines 10-28: teaches a file can be stored in a more generic format such as plain ASCII text (unformatted).

Regarding applicant's remarks on page 4:

Shell does disclose "a message format selector for selecting an output format from a plurality of formats, col. 6, lines 8-13: teaches wherein content can be formatted for presentation from selecting a type of format from a group of formats.

Guck also discloses "selecting an output format from a plurality of formats", on col. 6, lines 10-28: teaches the author may user Microsoft Word format or SGML or HTML or other types of formats.

Regarding applicant's remarks on page 5:

Art Unit: 2176

Guck does disclose "converting unformatted message", on col. 6, lines 29-37, lines 49-64 and col. 9, lines 19-30: teaches reformatting messages by converting messages from one format to another format, in other words, a file can be stored as a plain ASCII text (col. 6, lines 23-28) and converted to a formatted filed (on col. 9, lines 19-30 – file or message converter).

Regarding applicant's remarks on pages 5 and 6:

Guck does disclose "editing said formatted message to form a revised formatted message" and "providing said revised message to said computer message file", on col. 6, lines 29-37, lines 49-64 and col. 7, lines 6-10: teaches creating and reformatting messages to be sent to the recipient, the text of a document or message can be displayed for review, the user-author can review a displayed message and might want the textual/RTF message to go to a graphics or picture format (see Figure 2A).

Conclusion

7. THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event,

Art Unit: 2176

however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Almari Yuan whose telephone number is (703) 305-5945. The examiner can normally be reached on Mondays - Fridays (8:30am - 5:00pm).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Joseph Feild can be reached on (703) 305-9792. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 305-4700.

AY September 17, 2003

> SANJIV SHAH PRIMARY EXAMINER